



# PRODUCTS AND SPARE PARTS CATALOGUE



#### SECTION 1: CONTROL/DISPLAY UNITS WITH SINGLE ZONE ALARM

•	LA500	Page 1
•	LM2050	Page 1

#### **SECTION 2: FIXED TYPE MULTI-ZONE MANIFOLDS**

• <u>LA504</u>	Page 2
• <u>LA504S</u>	Page 2
• LA508-N	Page 3
• LA508S	Page 3

### **SECTION 3: MODULAR TYPE MULTI-ZONE MANIFOLDS AND BASE UNITS**

• <u>LA504-M-H</u>	Page 4
• LA504-M-S	Page 4
• <u>LA504S-M-H</u>	Page 4
• <u>LA504S-M-S</u>	Page 5
• LA504-B	Page 5
• <u>LA508-M-H-N</u>	Page 5
• <u>LA508-M-S-N</u>	Page 6
• <u>LA508S-M-H</u>	Page 6
• <u>LA508S-M-S</u>	Page 6
• LA508-B	Page 7
• <u>LA516-M-H-N</u>	Page 7
• <u>LA516-M-S-N</u>	Page 7
• <u>LA516S-M-H</u>	Page 8
• LA516S-M-S	Page 8
• LA516-B	Page 8

•	LA-MAN-2-X	Page 9
•	LA-MAN-4-X	Page 9
•	TUBE-SS-10M-X	Page 9
•	TUBE-PU-10M	Page 10
•	TUBE-SIL-2.5-10M	Page 10
•	NUT-SS-X	Page 10
•	FIT-SS-SS-X	Page 10
•	FIT-PU-SS-X	Page 11
•	BKT-SS	Page 11
•	PCC-X	Page 11
•	PSS-S-X	Page 11
•	AR-20GF	Page 12

Part Number	Description
LA500	INJECTION NOZZLE PLASTIC LEAK ALARM (AND CONTROL UNIT FOR LA508/516 MANIFOLD)
	Kit Includes:  • LA500 with 2 x 7-segment LED display with programmable operational settings  • AR-20GF Air Pressure Regulator with Pressure Gauge, Air Filter and Fittings  • 3 Meters PU Tube  • 0.5 Metres 2.5mm Silicone Rubber Tube  • 3 Meters 2mm Stainless Steel Sensor Tube  • Installation/Operation Manual  • 2 Meter Electrical Power/Interlock Cable  KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.9Kg
LM2050	INJECTION NOZZLE PLASTIC LEAK ALARM (AND CONTROL UNIT FOR LA508/516 MANIFOLD)
	Kit Includes:  • LM2050 with 2-line, 16-character LCD display with multiple languages and programmable operational settings  • AR-20GF Air Pressure Regulator with Pressure Gauge, Air Filter and Fittings  • 3 Meters PU Tube  • 0.5 Meters 2.5mm Silicone Rubber Tube  • 3 Meters 2mm Stainless Steel Sensor Tube  • Installation/Operation Manual  • 3 Meter Electrical Power/Interlock Cable  KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1 Kg

## SECTION 2: FIXED TYPE MULTI-ZONE MANIFOLDS

Part Number	Description
LA504	4-ZONE FIXED LEAK ALARM MANIFOLD (requires connection to LA500 or LM2050 control/ display unit)
	Kit Includes:  • LA504 Manifold (fixed type)  • 3 Meters PU Tube  • 1 Meter 2mm Silicone Rubber Tube  • 5 Meters 1.6mm Stainless Steel Sensor Tube  • (4)off Bracket and (8)screws for Sensor Tube
	PROGRAMMABLE OPTIONS VIA LA500 or LM2050
,	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.7 Kg
LA504S	4-ZONE FIXED STAND-ALONE LEAK ALARM MANIFOLD (does NOT require connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA504S Manifold (fixed type) with LED Display  • 3 Meters PU Tube  • 1 Meter 2mm Silicone Rubber Tube  • 5 Meters 1.6mm Stainless Steel Sensor Tube  • (4)off Bracket and (8)screws for Sensor Tube  • 3 Meter Power/Relay Interlock Cable
4 3 2 1	NON-PROGRAMMABLE
0.0.5.5	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.7 Kg

## SECTION 2: FIXED TYPE MULTI-ZONE MANIFOLDS

Part Number	Description
LA508-N	8-ZONE FIXED LEAK ALARM MANIFOLD (requires connection to LA500 or LM2050 control/display unit)
	Kit Includes:
	<ul> <li>LA508 Manifold (fixed type)</li> <li>3 Meters PU Tube</li> <li>2 Meters 2mm Silicone Rubber Tube</li> <li>10 Meters 1.6mm Stainless Steel Sensor Tube</li> </ul>
	• (8)off Bracket and (16)screws for Sensor Tube
A ROLL OF THE ROLL	N=1,2,3 or 4
8 7 6 5 4 3 C	1=Zones 1-8, 2=Zones 9-16, 3=Zones 17-24, 4=Zones 25-32
	PROGRAMMABLE OPTIONS VIA LA500 or LM2050
.,.	CAN BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1 Kg
LA508S	8-ZONE FIXED STAND-ALONE LEAK ALARM MANI-FOLD (does NOT require connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA508 Manifold (fixed type) with LED Display  • 3 Meters PU Tube  • 2 Meters 2mm Silicone Rubber Tube  • 10 Meters 1.6mm Stainless Steel Sensor Tube  • (8)off Bracket and (16)screws for Sensor Tube  • 3 Meter Power/Relay Interlock Cable
	NON-PROGRAMMABLE
	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1 Kg

Part Number	Description
LA504-M-H	4-ZONE MODULAR LEAK ALARM MANIFOLD (HANDLE) (requires connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA504 Manifold (modular type with Handle Release)  • 3 Meters PU Tube  • Protection Base
LEAK ALARM ZONES	PROGRAMMABLE OPTIONS VIA LA500 or LM2050
	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.7 Kg
LA504-M-S	4-ZONE MODULAR LEAK ALARM MANIFOLD (SCREW) (requires connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA504 Manifold (modular type with Screw Release)  • 3 Meters PU Tube  • Protection Base
4 3 2	PROGRAMMABLE OPTIONS VIA LA500 or LM2050
	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.7 Kg
LA504S-M-H	4-ZONE MODULAR STAND-ALONE LEAK ALARM MANIFOLD (HANDLE) (does NOT require connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA504S Stand-Alone Modular Manifold with handle release  • 3 Meters PU Tube  • 3 Meter Power/Relay Interlock Cable  • Protection Base
LEAK ALARM ZONES	NON-PROGRAMMABLE
	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.7 Kg

Part Number	Description	
LA504S-M-S	4-ZONE MODULAR STAND-ALONE LEAK ALARM MANIFOLD (SCREW) (does NOT require connection to LA500 or LM2050 control/display unit)	
LEAK ALARM ZONES  3 2 1	Kit Includes:  • LA504S Stand-Alone Modular Manifold with screw release  • 3 Meters PU Tube  • 3 Meter Power/Relay Interlock Cable  • Protection Base  NON-PROGRAMMABLE  CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM	
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.7 Kg	
LA504-B	4-ZONE MODULAR LEAK ALARM MANIFOLD BASE (USE WITH LA504-M-H, LA504-M-S, LA504S-M-H or LA504S-M-S)  Kit Includes:	
	LA504-B Manifold Base     5 Meters 1.6mm Stainless Steel Sensor Tube     (4)off Bracket and (8)screws for Sensor Tube     1 Meter 2mm Silicone Rubber Tube  KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.8Kg	
LA508-M-H-N	8-ZONE MODULAR LEAK ALARM MANIFOLD (HANDLE) (requires connection to LA500 or LM2050 control/display unit)	
	Kit Includes:  • LA508-M Modular Manifold with Handle Release  • 3 Meters PU Tube  • Protection Base	
THE EAST	PROGRAMMABLE OPTIONS VIA LA500 or LM2050	
B 7 6 5 4 3 2 1	N=1,2,3 or 4 1=Zones 1-8, 2=Zones 9-16, 3=Zones 17-24, 4=Zones 25-32	
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1.1Kg	

Part Number	Description
LA508-M-S-N	8-ZONE MODULAR LEAK ALARM MANIFOLD (SCREW) (requires connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA508-M Modular Manifold with Screw Release  • 3 Meters PU Tube  • Protection Base
TO SECURE AS A SECOND	PROGRAMMABLE OPTIONS VIA LA500 or LM2050
B 7 6 5 4 3 2 1	N=1,2,3 or 4 1=Zones 1-8, 2=Zones 9-16, 3=Zones 17-24 4=Zones 25-32
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1.1Kg
LA508S-M-H	8-ZONE MODULAR STAND-ALONE LEAK ALARM MANIFOLD (HANDLE) (does NOT require connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA508S Stand-Alone Modular Manifold with handle release  • 3 Meters PU Tube  • 3 Meter Power/Relay Interlock Cable  • Protection Base
LEAK ALARM ZONES	NON-PROGRAMMABLE
2 1	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1.1 Kg
LA508S-M-S	8-ZONE MODULAR STAND-ALONE LEAK ALARM MANIFOLD (SCREW) (does NOT require connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA508S Stand-Alone Modular Manifold with screw release  • 3 Meters PU Tube  • 3 Meter Power/Relay Interlock Cable  • Protection Base
LEAK ALARM ZONES	NON-PROGRAMMABLE
	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.7 Kg

Part Number	Description	
LA508-B	8-ZONE MODULAR LEAK ALARM MODULAR MANIFOLD BASE (USE WITH LA508-M-H, LA508-M-S, LA508S-M-H or LA508S-M-S)	
	Kit Includes:  • LA508-B Manifold Base  • 10 Meters 1.6mm Stainless Steel Sensor Tube  • (8)off Bracket and (16)screws for Sensor Tube  • 2 Meters 2mm Silicone Rubber Tube  KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.8Kg	
LA516-M-H-N	16-ZONE MODULAR LEAK ALARM MANIFOLD (HANDLE) (requires connection to LA500 or LM2050 control/display unit)	
	Kit Includes:  • LA516-M-H Manifold (with handle release)  • 3 Meters PU Tube  • Protection Base	
E RESTRICTION OF THE PARTY OF T	PROGRAMMABLE OPTIONS VIA LA500 or LM2050	
LEAK ALARM ZONE	N=1 or 2	
NES ONES ONES	1=Zones 1-16, 2=Zones 17-32	
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1.5 Kg	
LA516-M-S-N	16-ZONE MODULAR LEAK ALARM MANIFOLD (SCREW) (requires connection to LA500 or LM2050 control/display unit)	
	Kit Includes:  • LA516-M-S Manifold (with screw release)  • 3 Meters PU Tube  • Protection Base	
LEAK ALAB.	PROGRAMMABLE OPTIONS VIA LA500 or LM2050	
16 14 12 10 9 7 5 ONES	N=1 or 2	
	1=Zones 1-16, 2=Zones 17-32	
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1.2Kg	

Part Number	Description
LA516S-M-H	16-ZONE MODULAR STAND-ALONE LEAK ALARM MANIFOLD (HANDLE) (does NOT require connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA508S Stand-Alone Modular Manifold with handle release  • 3 Meters PU Tube  • 3 Meter Power/Relay Interlock Cable  • Protection Base
LEAKA	NON-PROGRAMMABLE
16 13 11 NRM ZONES 16 14 12 10 9 9 9 8 8 9 1	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 1.1 Kg
LA516S-M-S	16-ZONE MODULAR STAND-ALONE LEAK ALARM MANIFOLD (SCREW) (does NOT require connection to LA500 or LM2050 control/display unit)
	Kit Includes:  • LA508S Stand-Alone Modular Manifold with screw release  • 3 Meters PU Tube  • 3 Meter Power/Relay Interlock Cable  • Protection Base
LEAK ALARM ZDL	NON-PROGRAMMABLE
3 10 8 7 6 3 3 1 4 2 1	CANNOT BE DAISY CHAINED AS PART OF A LARGER SYSTEM
	KIT SIZE(cm) 22 x 28 x 8 KIT WEIGHT 0.7 Kg
LA516-B	16-ZONE PLASTIC LEAK ALARM MODULAR MANIFOLD BASE (Use with LA516-M-H, LA516-M-S, LA516S-M-H or LA516S-M-S)
	Kit Includes:  • LA516-B Manifold Base  • 20 Meters 1.6mm Stainless Steel Sensor Tube  • (16)off Bracket and screws for Sensor Tube  • 4 Meters 2.5mm Silicone Rubber Tube
	KIT SIZE(cm) 22 x 28 x 8 WEIGHT 1.4Kg

Part Number	Description
LA-MAN-2-X	2-ZONE TUBE ADAPTOR MANIFOLD (Use to join Stainless Steel Tube to Stainless Steel Tube or PU Tube)
	Kit Includes: •LA-MAN-2-X Manifold and Fittings to suit the following Tube Sizes
	X=1 A=SS1.6mm B=SS1.6mm X=2 A=SS1.6mm B=SS2.0mm X=3 A=SS1.6mm B=PU4.0mm X=4 A=SS2.0mm B=SS2.0mm X=5 A=SS2.0mm B=PU4.0mm X=6 A=PU4.0mm B=PU4.0mm
, , , , , , , , , , , , , , , , , , ,	WEIGHT 0.07Kg
LA-MAN-4-X	4-ZONE TUBE ADAPTOR MANIFOLD (Use to join Stainless Steel Tube to Stainless Steel Tube or PU Tube)
	Kit Includes:
	• LA-MAN-4-X Manifold and Fittings to suit the following Tube Sizes
	X=1 A=SS1.6mm B=SS1.6mm X=2 A=SS1.6mm B=SS2.0mm X=3 A=SS1.6mm B=PU4.0mm X=4 A=SS2.0mm B=SS2.0mm X=5 A=SS2.0mm B=PU4.0mm X=6 A=PU4.0mm B=PU4.0mm
	WEIGHT 0.15Kg
TUBE-SS-10M-X	10 METER COIL OF Xmm OD STAINLESS STEEL TUBING
	Use as Sensor Tubing within Hot Runner Mould or Moulding Machine Barrel/Nozzle
	X = 1.6 for 1.6mm Sensor Tubing
	X = 2.0 for 2mm Sensor Tubing
	WEIGHT 0.15Kg

Part Number	Description
TUBE-PU-10M	10 METER COIL OF 4mm PU (plastic) TUBING
	Use for Compressed/Regulated Air Supply
	WEIGHT 0.05Kg
TUBE-SIL-2.5-10M	10 METER COIL OF 2.5mm SILICONE RUBBER TUBING
	Use to make Sensor Tube ends for LA500, LM2050 and to extend range of LA508/LA516 leak detection.
	WEIGHT 0.05Kg
NUT-SS-X	NUT and OLIVE SET (5pcs) FOR Xmm OD STAINLESS STEEL TUBING
	Use to connect Stainless Steel Sensor Tube to Manifold (LA508, LA508-B or LA516-B)
	Manifold (LA508, LA508-B or LA516-B)
	Manifold (LA508, LA508-B or LA516-B) $X = 1.6 \text{ for } 1.6 \text{mm Sensor Tubing}$
FIT-SS-SS-X	Manifold (LA508, LA508-B or LA516-B)  X = 1.6 for 1.6mm Sensor Tubing  X = 2.0 for 2mm Sensor Tubing
FIT-SS-SS-X	Manifold (LA508, LA508-B or LA516-B)  X = 1.6 for 1.6mm Sensor Tubing  X = 2.0 for 2mm Sensor Tubing  WEIGHT 0.02Kg  JOINER FITTING FOR Xmm OD STAINLESS STEEL
FIT-SS-SS-X	Manifold (LA508, LA508-B or LA516-B)  X = 1.6 for 1.6mm Sensor Tubing  X = 2.0 for 2mm Sensor Tubing  WEIGHT 0.02Kg  JOINER FITTING FOR Xmm OD STAINLESS STEEL TUBING  Use to connect Stainless Steel Sensor Tube to
FIT-SS-SS-X	Manifold (LA508, LA508-B or LA516-B)  X = 1.6 for 1.6mm Sensor Tubing  X = 2.0 for 2mm Sensor Tubing  WEIGHT 0.02Kg  JOINER FITTING FOR Xmm OD STAINLESS STEEL TUBING  Use to connect Stainless Steel Sensor Tube to Stainless Steel Sensor Tubing

Part Number	Description
FIT-PU-SS-X	OINER FITTING FOR 4mm PU TUBE TO Xmm OD STAINLESS STEEL TUBING
	Use to connect PU Tube to Stainless Steel Sensor Tubing
	X = 1.6 for 1.6mm Sensor Tubing
	X = 2.0 for 2mm Sensor Tubing
BKT-SS	FIXING BRACKET SET (10pcs) FOR STAINLESS STEEL TUBING
	Use to secure Stainless Steel Sensor Tube to Hot Runner Manifold/Mould Plate etc
2/20	Kit Includes:  • 10 x Fixing Bracket  • 20 x 2.9mm Self Tapping Stainless Screws  • Suits 1.6mm or 2mm Sensor Tube
	WEIGHT 0.01Kg
PCC-X	POWER/COMUNICATION CABLE X Meter
	Use to connect LA500 or LM2050 to Manifold or Manifold to Manifold (daisy chain) up to 32-Channels.
	Standard sizes are (Meters):  X = 0.6  X = 1.5  X = 3  X = 5  X = 10
	WEIGHT 0.10Kg
PCC-S-X	POWER/RELAY INTERLOCK CABLE X Meter
	Use to connect Stand Alone Manifolds to DC Power and Interlock Relay connections
	Standard sizes are (Meters):  X = 3  X = 5  X = 10
11	WEIGHT 0.10Kg

Part Number	Description
AR-20GF	AIR PRESSURE REGULATOR WITH PRESSURE GAUGE, AIR FILTER AND FITTINGS
	Use for LA500 and LM2050 and LA508/516 Manifold Systems WEIGHT 0.35Kg



#### **DESIGNED AND MANUFACTURED BY:**

G.K.E LTD, E5 SWORDS ENTERPRISE PARK, FELTRIM ROAD, SWORDS, CO. DUBLIN, IRELAND.

Tel: +353 87 2996101, www.airtect.com

Email: info@airtect.com